

ENDURO™

hangin' tough in 24/7 multi-shift applications

Standard Features:

- Extra large 60mm casters with 25% more weight capacity
- Heavy Duty Die Cast Aluminum Base
- Heavy Duty pneumatic cylinder rated for 350 lbs
- A.B.S. reinforced inner back
- Multi-ply reinforced seat board
- High Impact Plastic Outer Back Cover



Conference, Management, Task

Model	Control	Description
1960	Y2	<p>Mid-Back Synchro-Tilt Control Use for 24/7 multi-shift applications, including private office and conference room seating. Easy-touch back height adjustment.</p>



Arm Options	Fabric List Price						
	A/COM	B	C	D	E	F	G
armless	625	655	675	705	740	785	830
a4	700	730	750	780	815	860	905
a5	720	750	770	800	835	880	925
a6	755	785	805	835	870	915	960
a7	775	805	825	855	890	935	980

For Seat Slider (SS2) - Add \$60

Model	Control	Description
1960	M1	<p>Mid-Back Multi-Function Control Fully articulating seat and back for the highest level of ergonomic needs. Control allows user to set forward seat pivot from 0 to 6 degrees. Easy-touch back height adjustment.</p>



Arm Options	Fabric List Price						
	A/COM	B	C	D	E	F	G
armless	665	695	715	745	780	825	870
a4	740	770	790	820	855	900	945
a5	760	790	810	840	875	920	965
a6	795	825	845	875	910	955	1000
a7	815	845	865	895	930	975	1020

For Seat Slider (SS2) - Add \$60

Shipping Notes (please select a packaging code when ordering)

Code	Description	List Upcharge
AB	assembled in bag for will call	\$ 0
SC	standard carton	\$ 0
SAC	semi-assembled in carton	\$ 40 / chair


Mechanical Functions

- 360 Degree Swivel
- Pneumatic Seat Height Adjustment
- Tilt Tension Control
- Back and Seat Tilt in 2:1 ratio
- 5 Point Tilt Position Lock
- Anti-Launch Tilt Release
- Ratchet Back Height Adjustment


Dimensions

W: 27.0 **BW: 19.0**
D: 24.0 **BH: 20.0**
H: 38.0-43.0 **COM: 1.0 yds**
SW: 20.5
SD: 19.5 **WT: 54.4 lbs**
SH: 17.0-22.0 **W/ARMS: 59.4 lbs**


Arm Options




Soft Touch Pad w/ 3" Height Adjustable Arm



Soft Touch Pad w/ 3" Height & 4" Width Adjustable Arm



Ura-Soft® Pad w/ 4" Height Adjustable Pivoting Arm




Ura-Soft® Pad w/ 4" Height & Width Adjustable Pivoting Arm

- 360 Degree Swivel
- Pneumatic Seat Height Adjustment
- Tilt Tension Control
- Seat and Back Tilt as a Unit
- Infinite Tilt Position Lock
- Infinite Back Angle w/ Free Float
- Seat pivots From 0 to 6 Deg. Forward
- Ratchet Back Height Adjustment


W: 27.0 **BW: 19.0**
D: 24.0 **BH: 20.0**
H: 38.0-43.0 **COM: 1.0 yds**
SW: 20.5
SD: 19.5 **WT: 54.4 lbs**
SH: 17.0-22.0 **W/ARMS: 59.4 lbs**

Additional Options




Upholstered back covered in fabric

\$ 100




Upholstered Back Covered in Teknit

\$ 100




Seat Slider 2.5" Side Paddle Activated

\$ 60



27" Polished Aluminum Base

\$ 75



Self-Locking Hard Floor Casters (5 per set)

\$ 35



Hard Floor Casters (5 per set)

\$ 30



High Glides (5 per set)

\$ 30

Sit in Style

Work in Comfort

Get the Value ©



ENDURO™


hangin' tough in 24/7 multi-shift applications

Standard Features:

- Extra large 60mm casters with 25% more weight capacity
- Heavy Duty Die Cast Aluminum Base
- Heavy Duty pneumatic cylinder rated for 350 lbs
- A.B.S. reinforced inner back
- Multi-ply reinforced seat board
- High Impact Plastic Outer Back Cover




Conference, Executive, Management



Model 1980
Control Y2
Description
High-Back Synchro-Tilt Control
Use for 24/7 multi-shift applications, including private office and conference room seating. Easy-touch back height adjustment.

Arm Options	Fabric List Price						
	A/COM	B	C	D	E	F	G
armless	650	685	710	745	785	835	885
a4	725	760	785	820	860	910	960
a5	745	780	805	840	880	930	980
a6	780	815	840	875	915	965	1015
a7	800	835	860	895	935	985	1035

For Seat Slider (SS2) - Add \$60



Model 1980
Control M1
Description
High-Back Multi-Function Control
Fully articulating seat and back for the highest level of ergonomic needs. Control allows user to set forward seat pivot from 0 to 6 degrees. Easy-touch back height adjustment.

Arm Options	Fabric List Price						
	A/COM	B	C	D	E	F	G
armless	690	725	950	785	825	875	925
a4	765	800	825	860	900	950	1000
a5	785	820	845	880	920	970	1020
a6	820	855	880	915	955	1005	1055
a7	840	875	900	935	975	1025	1075

For Seat Slider (SS2) - Add \$60

Shipping Notes (please select a packaging code when ordering)

Code	Description	List Upcharge
AB	assembled in bag for will call	\$ 0
SC	standard carton	\$ 0
SAC	semi-assembled in carton	\$ 40 / chair


Mechanical Functions

- 360 Degree Swivel
- Pneumatic Seat Height Adjustment
- Tilt Tension Control
- Back and Seat Tilt in 2:1 ratio
- 5 Point Tilt Position Lock
- Anti-Launch Tilt Release
- Ratchet Back Height Adjustment


Dimensions

W: 27.0
D: 24.0
H: 44.0-49.0
SW: 20.5
SD: 19.5
SH: 17.0-22.0
BW: 19.0
BH: 26.0
COM: 1.1 yds
WT: 56.0 lbs
W/ARMS: 61.0 lbs


Arm Options




A4
Soft Touch Pad w/ 3" Height Adjustable Arm



A5
Soft Touch Pad w/ 3" Height & 4" Width Adjustable Arm



A6
Ura-Soft® Pad w/ 4" Height Adjustable Pivoting Arm




A7
Ura-Soft® Pad w/ 4" Height & Width Adjustable Pivoting Arm


- 360 Degree Swivel
- Pneumatic Seat Height Adjustment
- Tilt Tension Control
- Seat and Back Tilt as a Unit
- Infinite Tilt Position Lock
- Infinite Back Angle w/ Free Float
- Seat pivots From 0 to 6 Deg. Forward
- Ratchet Back Height Adjustment

W: 27.0
D: 24.0
H: 44.0-49.0
SW: 20.5
SD: 19.5
SH: 17.0-22.0
BW: 19.0
BH: 26.0
COM: 1.1 yds
WT: 56.0 lbs
W/ARMS: 61.0 lbs


Additional Options




UB
\$ 100
Upholstered back covered in fabric




TB
\$ 100
Upholstered Back Covered in Teknit



SS2
\$ 60
Seat Slider 2.5" Side Paddle Activated




BA6
\$ 75
27" Polished Aluminum Base



C2
\$ 35
Self-Locking Hard Floor Casters (5 per set)



C3
\$ 30
Hard Floor Casters (5 per set)



G1
\$ 30
High Glides (5 per set)

Sit in Style

Work in Comfort

Get the Value ©



ENDURO™

hangin' tough in 24/7 multi-shift applications

Standard Features:

- Extra large 60mm casters with 25% more weight capacity
- Heavy Duty Die Cast Aluminum Base
- Heavy Duty pneumatic cylinder rated for 350 lbs
- A.B.S. reinforced inner back
- Multi-ply reinforced seat board
- High Impact Plastic Outer Back Cover



Drafting Stool

Model 1966 **Control** P1

Description
10" Drafting Stool Posture Back Control
The articulating back provides proper support for moderate tasking applications. Easy-touch back height adjustment.

Arm Options	Fabric List Price							
	A/COM	B	C	D	E	F	G	
armless	725	755	775	805	840	885	930	
a4	800	830	850	880	915	960	1005	
a5	820	850	870	900	935	980	1025	
a6	855	885	905	935	970	1015	1060	
a7	875	905	925	955	990	1035	1080	

Model 1968 **Control** P1

Description
8" Drafting Stool Posture Back Control
The articulating back provides proper support for moderate tasking applications. Easy-touch back height adjustment.

Arm Options	Fabric List Price							
	A/COM	B	C	D	E	F	G	
armless	725	755	775	805	840	885	930	
a4	800	830	850	880	915	960	1005	
a5	820	850	870	900	935	980	1025	
a6	855	885	905	935	970	1015	1060	
a7	875	905	925	955	990	1035	1080	

Shipping Notes (please select a packaging code when ordering)

Code	Description	List Upcharge
AB	assembled in bag for will call	\$ 0
SC	standard carton	\$ 0
SAC	semi-assembled in carton	\$ 40 / chair

Mechanical Functions

- 360 Degree Swivel
- Pneumatic Seat Height Adjustment
- Infinite Back Angle w/ Free Float
- Ratchet Back Height Adjustment
- Height Adjustable Footring

Dimensions

W: 27.0 **BW: 19.0**
D: 24.0 **BH: 20.0**
H: 42.0-52.0 **COM: 1.0 yds**
SW: 20.5
SD: 19.5 **WT: 56.3 lbs**
SH: 21.0-31.0 **W/ARMS: 61.3 lbs**

Arm Options

A4
Soft Touch Pad w/ 3" Height Adjustable Arm

A5
Soft Touch Pad w/ 3" Height & 4" Width Adjustable Arm

A6
Ura-Soft® Pad w/ 4" Height Adjustable Pivoting Arm

A7
Ura-Soft® Pad w/ 4" Height & Width Adjustable Pivoting Arm

- 360 Degree Swivel
- Pneumatic Seat Height Adjustment
- Infinite Back Angle w/ Free Float
- Ratchet Back Height Adjustment
- Height Adjustable Footring

W: 27.0 **BW: 19.0**
D: 24.0 **BH: 20.0**
H: 39.5-47.5 **COM: 1.0 yds**
SW: 20.5
SD: 19.5 **WT: 56.3 lbs**
SH: 18.5-26.5 **W/ARMS: 61.3 lbs**

Additional Options

UB
\$ 100
Upholstered back covered in fabric

TB
\$ 100
Upholstered Back Covered in Teknit

C2
\$ 35
Self-Locking Hard Floor Casters (5 per set)

C3
\$ 30
Hard Floor Casters (5 per set)

G1
\$ 30
High Glides (5 per set)

BA6
\$ 75
27" Polished Aluminum Base

Sit in Style

Work in Comfort

Get the Value ©




ENDURO™

hangin' tough in 24/7 multi-shift applications



Guest

Model	Control	Description	Arm Options	Fabric List Price						
				A/COM	B	C	D	E	F	G
1925	GT	Guest Well suited for guest seating. Comes standard with non-marking glides.	Standard	440	500	535	595	660	745	835
Recommended Fabric: HUE (ABRASION: 1,000,000 D.R.)										



Shipping Notes (please select a packaging code when ordering)

Code	Description	List Upcharge
AB	assembled in bag for will call	\$ 0
SC	standard carton	\$ 0

Mechanical Functions	Box	Dimensions
		W: 23.0 BW: 17.5 D: 21.5 BH: 18.0 H: 36.0 COM: 1.8 yds SW: 18.8 SD: 18.0 WT: 36.5 lbs SH: 17.0 W/ARMS: N/A

Additional Options

<p>BN1 w/ Grd. 'A' ONLY \$ 35</p> <p>BN2 w/ Grd. 'B' & up \$ N/C</p> <p><i>Upholstered Back Covered in Black Ballistic Nylon</i></p>	<p>TB \$ 100</p> <p><i>Upholstered Back Covered in Teknit</i></p>
--	---

Sit in Style
Work in Comfort
Get the Value ©

